



Village of Ashville

P.O. Box 195
200 East Station Street
Ashville, OH 43103

Office: 740/983-6367 • Fax: 740/983-4703

Email: ashvilleohio@ashvilleohio.gov

Emergency Contact Numbers:

Police Department 911 Street Department 614/402-9876
Utility Department 614/214-9223 740/207-1842



Leaf Pick-up Ashville's Service Department



The Village's Leaf pick-up service begins the first week of November. It is scheduled to continue through Monday, December 2nd. The exact date is driven in large part by weather and the leaves on the ground. The next newsletter issue will talk about the village's work for snow and ice removal. This usually follows leaf pick-up but they may overlap. The same truck is used for both services. With the equipment we now have the entire village is checked each day.

NOTE: To be removed leaves must be taken to the street. The day to day pick-up may be changed due to inclement weather or reasons beyond our control.

WHAT TO AVOID>>>>>

Leaves piled in front or back of vehicles will not be picked-up; we use the ten (10) "foot rule" to prevent damage. It is also helpful not to place leaves under low hanging tree limbs because of the height of our equipment. **No brush or flowers will be picked up. Local Waste Services on Monday's collection day will take limbs that are bundled or weeds (flowers) that are bagged. They will also take bagged leaves. You can also use the Gray Refuse Toter.**

The size of our equipment prevents us from traveling in alleys.

If you have been missed or need to reach the Service Department call and ask for Dave Ballard, Superintendent, at the Administrative Office at 740/983-6367.

Keep up-to-date with information by making www.ashvilleohio.gov your home page.

The Legislative Corner

This section provides the title to Ordinances and Resolutions being considered by Village Council. To read the entire text go to our website. Enacted legislation will be found under "Village Government"; and Legislation that is being considered can be found under "Village Council—Agenda".

- ◆ 13-2019 A Resolution to Strongly Urging the Ohio Governor and Members of the Ohio General Assembly to Restore the Local Government Fund to Pre-recession Levels
- ◆ 16-2019 A Resolution authorizing the Mayor or Village Administrator to Enter into an Agreement with Columbus Asphalt Paving, for the 2019 Paving May Avenue and Rail Street Project and Declaring an Emergency.
- ◆ 17-2019 An Ordinance to Vacate Ashville Property Between 20 and 26 East Main Street and Declaring an Emergency.

2019 May Avenue and Rail Street Paving Project

As part of 2019 resurfacing, May Avenue and Rail Street will be resurfaced. The contract was awarded to Columbus Asphalt Paving, Inc. A letter will be sent to residents on May and Rail. **"No Parking" signs will be posted tow days before project begins. More information is available at <http://www.ashvilleohio.gov> click on banner.** Ashville will endeavor to expedite project.



Ole Time Village Holiday Sunday, December 8th Activities 1:00 to 5:00 PM

- ❄ Santa Claus and Crafts at the Ashville Park.
- ❄ Everyone that sees Santa gets a bag of Candy and a ticket for a free Cookie and Hot Chocolate
- ❄ Stories by Mrs. Claus at the Younkin Library.
- ❄ Businesses and the Museum are open for your patronage
- ❄ Holiday Resources-Ashville Food Pantry, Pickaway County Community Action (PICCA), Thanksgiving, Christmas, and Kitchen, Toys for Tots-Toys, and Village Table

For More Information and other Holiday Events visit www.ashvilleohio.gov or see our next newsletter for details and locations.

Ashville's December Holiday Events



Ashville's Christmas Night PARADE
November 30th at 6pm

WE ARE ENCOURAGING ANYONE THAT WOULD LIKE TO PARTICIPATE IN THE PARADE TO BRING DECORATED AND LIGHTED FLOATS, GOLF CARTS, TRACTORS AND HORSES TO THE START OF THE PARADE LOCATED AT 140 PARK STREET. RESIDENTS THROUGHOUT THE VILLAGE CAN DECORATE THEIR HOMES AS WELL. PARADE STARTS AT 6:00 PM AND CHRISTMAS TREE LIGHTING WILL BE AT 7:00 PM IN OUR DOWNTOWN.

FOR MORE INFORMATION CONTACT
614-493-8498.

This event is sponsored by
the KP Women and Men Lodges, the Women's Civic Club
and the Ohio Small Town Museum

Thanksgiving Day

Ashville's Office will be closed November 28th and 29th for Thanksgiving.

VETERANS DAY

Ashville's Office will be closed Monday, November 11th for Veteran's Day.

Village Council Meetings Every 1st and 3rd Monday Time: 6:30 pm
Council Committee Meetings Every 2nd Monday at 6:30 pm
- Holiday Mondays will move the meeting forward by one week

Next Month....

- ◆ Holiday Events

Inside this issue:

Sample Ballot, Locations, Information	2
Utility Report	2

ASHVILLE VISION STATEMENT

Remembering our rural heritage, Ashville will be a vibrant and friendly community, offering an enhanced quality of life achieved through planning, progress and collaboration.

It will be a welcoming place where people want to live and businesses prosper.

November 5th is Election Day

This sample ballot was produced by the Pickaway County Board of Elections web site.



This Sample Ballot is for the North Precinct.
 The order of the candidates will vary, please review that order carefully if you use this as a voting guide.
Where to vote?
 Ashville – East & West - Village Chapel 30 Circleville Avenue (Viking Way)
 Ashville - North - Church of Christ In Christian Union (CCCU) 420 Long Street
 Pickaway County Board of Election Website: <https://pickaway.ohioobe.com/>

Pickaway County OFFICIAL GENERAL ELECTION BALLOT
 November 05, 2019

Instructions to Voters

- To vote: completely darken the oval (●) to the left of your choice.
- Note the permitted number of choices directly below the title of each candidate office. Do not mark the ballot for more choices than allowed.
- If you mark the ballot for more choices than permitted, that contest and choice will not be counted.
- If you make a mistake or want to change your vote: return your ballot to an election official and get a new ballot. You may ask for a new ballot up to two times.

CIRCLEVILLE MUNICIPAL COURT
 For Judge of Municipal Court
 (Full term commencing 1/1/2020)
 (Vote for not more than 1)

Elisa M. Peters

VILLAGE OF ASHVILLE

For Mayor
 (Vote for not more than 1)

Shawn Demint
 Charles K. Wise

For Member of Council
 (Vote for not more than 2)

Roger L. Clark
 Nelson R. Embrey
 Darryl E. Ward

TOWNSHIP OF HARRISON

For Township Trustee
 (Vote for not more than 1)

Bill Welsh

For Township Trustee
 (Unexpired term ending 12/31/2021)
 (Vote for not more than 1)

Michael J. Freeman

For Township Fiscal Officer
 (Vote for not more than 1)

No Valid Petition Filed

PICKAWAY COUNTY EDUCATIONAL SERVICE CENTER

For Member of Governing Board of Educational Service Center
 (Vote for not more than 2)

Jon C. Saxton

17 ASHVILLE-EAST

SCHOOL DISTRICT

For Member of Board of Education
 (Vote for not more than 3)

Karen Karshner
 Bill McGowan
 Bill Clay
 Roxanne H. Davis

Page 1 of 1
 End of Ballot

Karen Ranshaw
Jane Lynch
Sharon Lynn Walsh

Board Member Signatures
 17 ASHVILLE-EAST

2019 Monthly & YTD Activity Report

The information below can be viewed as a pdf with larger text at www.ashvilleohio.gov under Community & Links "Newsletter"

Village of Ashville
 Water and Wastewater Treatment

Description - Facility	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Total Gallons Raw Water Pumped MPM:	18,394	17,346	18,514	17,957	18,827	17,733	19,63	18,885	18,543				165,289	221,105,333	18.43	18,514
Total Gallons Treated MPM:	18,891	15,159	16,096	15,568	16,605	15,644	17,24	16,644	16,25				145,097	193,462,667	16.12	16,096
Total Water MPM Billed Customers 1480	8,176	7,495	6,628	7,914	7,417	7,759	9,829,026	8,148	7,256				70,62,026	93,669,039	7.81	7,627
Total Gallons to Waste MPM:	2,503	2,187	2,418	2,389	2,222	2,089	2,39	2,241	2,293				20,732	27,642,666	2.30	2,293
Average Daily Treated Water:	0.513	0.62	0.519	0.519	0.536	0.522	0.556	0.537	0.542				4.864	6.485333333	0.54	0.536
Total Chlorine Used: (disinfection)	384	412	365	337	436	440	424	394	345				3537	47,316	393.00	394
Average Chlorine used/day GPD:	12	15	12	11	14	14	15	13	12				118	157,333,333	13.11	13
Average Chlorine Residual mg/l:	0.67	0.52	0.59	0.67	0.76	0.46	0.58	0.86	0.53				6.54	7.52	0.63	0.59
Total Salt used Tons:	24.71	0	0	21.54	0	0	22	23	23				114.25	152,333,333	12.69	21.54
Percentage between Treated & Billed	53.33%	50.56%	58.82%	49.16%	55.33%	50.40%	42.99%	51.05%	55.35%				51.33%	51.58%	51.89%	51.05%

Description - Water Analysis	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Average Iron Concentration:	0.15	0.11	0.27	0.13	0.13	0.14	0.15	0.23	0.15				0.16	0.16	0.16	0.15
Average Manganese Concentration:	0.02	0.03	0.02	0.02	0.04	0.03	0.003	0.001	0.003				0.02	0.02	0.02	0.02
Average Hardness Concentration:	259	256	271	309	302	363	299	278	263				288.89	278	288.89	278
Average Chlorine Residual:	0.39	0.43	0.48	0.48	0.47	0.27	0.28	0.43	0.32				0.39	0.43	0.39	0.43

Description - Work-order & Activity	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Meter Work-order & Activity																
Meters Installed (Radio Read):	10	13	26	14	4	2	6	23	19				117	156,000	13.00	13
Meter & Tap Inspections (Checks)	2	0	0	7	1	0	6	1	0				17	22,667	1.89	1
Final Reads:	6	3	0	6	3	0	6	6	10				40	53,333	4.44	6
Meter Reread:	4	1	4	2	2	0	2	6	0				21	28,000	2.33	2
Sub-Totals	22	17	30	29	10	2	20	36	29	0	0	0	195	260,000	21.667	22
Service Work-order & Activity																
Monthly Water Shut-offs Notice:	117	100	88	98	110	114	120	112	103				962	1,282,667	106.89	110
Water Shut-offs:	3	14	0	2	10	10	18	6	15				78	104,000	8.67	10
Water Turn On's reconnection:	1	4	0	1	0	0	0	0	0				6	8,000	0.67	0
Customer Service - Check for Leaks & Repair:	0	7	3	6	1	0	2	6	3				28	37,333	3.11	3
Curb Box Repair and/or Replace/Check Valve:	0	0	1	3	1	0	0	0	0				5	6,667	0.56	0
Customer Service - Miscellaneous	5	0	0	0	0	1	2	3	3				14	18,667	1.56	1
Sub-Totals	126	125	92	110	122	125	143	126	124	0	0	0	1,093	1,457,333	121.444	124
Hydrant Work-order & Activity																
Hydrant Test with Fire Department	0	0	0	0	0	0	0	0	0				0	0.000	0.00	0
Fire Hydrant Repair/Replace	0	0	0	0	0	0	0	1	0				1	1,333	0.11	0
Fire Hydrant Relocation	0	0	0	0	0	0	0	0	0				0	0.000	0.00	0
Fire Hydrant Valve Repair/Replace	0	0	0	0	0	0	0	0	0				0	0.000	0.00	0
Sub-Totals	0	0	0	0	0	0	0	1	0	0	0	0	1	1,333	0.111	0
Miscellaneous Work-order & Activity																
Line Locates including OUPS:	40	51	46	0	0	43	67	77	51				375	500,000	41.67	46
Water Line Repairs & Breaks:	0	0	0	0	0	0	0	2	0				2	2,667	0.22	0
Sub-Totals	40	51	46	0	0	43	67	79	51	0	0	0	377	502,667	41.889	46
Total Number Completed:	188	193	168	139	132	170	230	242	204	0	0	0	1,666	2,221,333	185.111	192

Description - Facility	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Total Raw Water	4.28	6.56	5.01	4.03									19.88	59.64	4.97	4.65
Total Gallons Treated	18,544	37,232	25,180	24,966									105,922	317,766	26.48	27.07
Total Wastewater Billed Customers 1423	7,133	6,449	5,724	6,724	6,404	6,569	8,393	6,872	6,361				60,629	80,838,666	6.74	6,569
Average Daily Treated Water:	0.598	1.330	0.812	0.832									3.572	10.716	0.89	0.82
Average Raw (Inflow) CBO/D/Day:	209.5	108.71	164.12	134.25									616.58	1849.74	154.15	149.19
Percentage between Treated & Billed	38.47%	17.32%	22.73%	26.93%	*	*	*	*	*	*	*	*	26.36%	24.83%	26.36%	24.83%

Description - Wastewater Analysis	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Average CBO/D Total	673	73000	684	749									75106		11.37	10.30
% Removed CBO/D:	94%	92%	97%	96%									3.79		0.95	0.95
Average Raw Total Suspended Solids:	703	912	1165	1076									3856	11568	96.00	99.00
Water Gallons Total Recorded Used	633	0	0	0									633		0.54	0.54
% Removed TSS:	94%	96%	98%	98%									3.86	11.58	0.97	0.97
Average Daily Dissolved Oxygen:	7.8	10.2	8.8	7.8									34.6	103.8	8.65	8.30
Total Sludge Wasted to Digester:	213,050	0	0	0									213,050		150.00	150.00
Total Sludge Land Applied Tons	0	0	24	12									36	108	9.00	6.00
Sludge removed to other facility	0	0	0	0									0	0	0.00	0.00

Description - Out Flow	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
Up Stream Dissolved Oxygen:	11.2	10.1	10	9.9									10.30		10.05	10.05
Up Stream pH:	7.8	8.1	8.2	7.2									7.83		7.95	7.95
Up Stream Temperature:	7	11	12	16									11.50		11.50	11.50
Down Stream Dissolved Oxygen:	11.2	11.8	10.6	9.9									10.88		10.88	10.88
Down Stream pH:	7.8	8.3	8.3	6.9									7.83		8.05	8.05
Down Stream Temperature:	7	9	12	16									11.00		10.50	10.50

Description - Work-order & Activity	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec	YTD Total	Projected	Ave	Mean
New Taps:	4	0	0	0									4	12	1	0
Collection Maintenance Calls:	5	0	0	1									6	18	1.5	0.5
Mark Lines (OUPS)	53	56	48	101									258	7		